

INDEX

A

absolute value, 63
adding (a solution), 37
acceleration, 365
 due to gravity, 367
additivity (of the definite integral), 412
and (the mathematical word), 25
 truth table, 26
annotated, 36
antiderivatives:
 definition, 344
 on $[a, b]$, 409
 section on, 342–451
 use for finding area, 405
antidifferentiation, 344
approaches, 109
approximating area by rectangles, 402
approximating (nearby function values), 221
approximating polynomials by highest order term, 313
arbitrary constant, 344
area:
 between two curves, 428–435
 of circle, 54
 under a graph, 401
 of triangle, 54
associativity (of the logical ‘and’), 86
associative laws, 11
assumption in this text, 84
asymptotes:
 section on, 330–338
average rate of change, 222

B

backwards (integrating ‘backwards’), 412
between, 160
black boxes, 55
body (of proof), 225
bounded by, 430
bounds (getting bounds on function values), 268
brackets, 24
‘building up’ graphs from simpler pieces, 46, 77

C

calculus, 44
candidates for rational roots, 325
chain rule:
 Leibniz notation for, 232
 motivation for name, 232
 precise statement, 231
 section on, 228–237
change of variables formula, 425

circles, 264
classifying:
 discontinuities, 148
 an equation, 44
close (numbers being ‘close’), 108
closed interval, 150
clubsuit symbol, iv
collection, 22
combinations (of functions), 82
common graphs, 45
complete and correct mathematical sentences, 1
complex numbers (\mathbb{C}), 19
complicated (products and quotients, differentiating), 261
composite functions:
 associativity of function composition, 232
 definition, 86
 section on, 82–91
compound inequalities, 25
compounding (of interest), 102
concave (up and down), 299, 300
concise, 1
conditional sentences, 12
cone (finding volume using calculus), 439
conjecture, 44
conjure (What should the Leibniz notation conjure up?), 223
consequences
 of the Intermediate Value Theorem, 281
 of the Mean Value Theorem, 26
constant, 15
constant of integration, 345
contained in (subset), 83
continuity:
 equivalent characterizations of, 224
 idea, 108
 on an interval, 149, 150
 at a point (definition), 145
 section on, 145–152
 of sums, products, etc., 151
contradiction, 37, 134
 logical justification for proof by contradiction, 135
contrapositive (of an implication), 176
conventions, 2
 concerning definitions, 300
converse (of an implication), 290
conversely, 300
correspondence, (one-to-one), 92
counterexample, 168
counterpart antidifferentiation formula, 354
counting numbers, 22
critical points, 290
cube root, 213

D

- decimal expansions, 27
 - declarative, 2
 - decreasing functions, 276
 - decreasing info from the derivative, 278
 - definite integral, 408–417
 - definitions, 14
 - DeMorgan's Laws, 325
 - derivative:
 - of a constant, 205
 - definition, 193
 - of e^x , 211
 - of $e^{g(x)}$, 236
 - of $(g(x))^n$, General Power Rule, 233–234
 - of $\ln x$, 212
 - of $\ln g(x)$, 236
 - of x^n , Simple Power Rule, 208
 - of sums and differences, 206
 - sliding constants out, 206
 - difference quotient, 184
 - differentiation, 193
 - direct proof (of an implication), 224
 - discontinuity:
 - definition, 146
 - nonremovable, 147
 - removable, 147
 - disk method, 436–443
 - distance:
 - between real numbers, 116, 428
 - between two points, 262
 - division, 35
 - do (facts can tell you what to do), 33
 - domain:
 - convention, 69
 - of a function, 69
 - of a sentence, 29
 - dominates (highest order term of a polynomial), 313
 - dummy variables:
 - in function notation, 61
 - of integration, 411
 - in limits, 109
 - in summation notation, 251
- E
- element, 22
 - empty set (\emptyset), 24
 - end-of-proof marker, 133
 - end-of-section exercises, iv
 - endpoints, 23
 - English usage (versus math. usage):
 - of the words 'open' and 'closed', 150
 - of the word 'or', 47
 - equality:

- of functions, 156
- of sets, 6
- equivalence, 29–38
- Esty, (Warren), 33
- evaluate (a limit), 110
- even functions, 318
- even roots, 215
- existence, 133
- existence of antiderivatives, 425
- explicit, 36, 257
- exponential function, 99
- exponents:
 - fractional, 216
 - in order of operations, 18
 - properties of, 216
- expression, 1
- extreme values and points, (local), 287
- extreme (values, points), 171
- F
- fact, 33
- factorable over the integers, 320
- factoring quadratics, 320–322
- factorial notation, 253
- factoring, 80
- falling object, 362–374
- false sentences, 12
- First Derivative Test, 295
- First Derivative Test for endpoints, 295
- for all (the mathematical phrase), 269–271
- forms (indeterminate), 154
- four-step process (for evaluating limits), 123
- fractional exponent notation, 216
- free-body diagram, 367
- freshman’s dream, 19
- functions:
 - even and odd, 318–319
 - equality of, 156
 - precise view of, 217
 - section on, 54–67
- fundamental theorem of algebra, 15
- fundamental theorem of differential calculus, 266
- fundamental theorem of integral calculus, 409
- G
- general power rule (differentiating $f(x)^n$), 234
- global extrema, 288, 310
- graphs:
 - common graphs, 45
 - section on, 39–53
- gravity (acceleration due to), 367
- greater than, 9
- Greek letters, 7

H

higher order derivatives:

Leibniz notation for, 255

prime notation for, 249

section on, 249–256

holes (solids with holes), 441

horizontal asymptotes, 331, 332

horizontal (lines), 48

horizontal line test, 56

hypothesis (plural, hypotheses):

of an implication, 167

of a theorem, 139

I

i (the imaginary number), 19

identity, 37

if A , then B , 165

implication

contrapositive, 176

form and intuition, 165

hypothesis and conclusion, 167

proving, direct proof, 224

truth table, 166

implicit, 36, 257

implicit differentiation, 257–265

implied domain, 29

increasing functions, 276

increasing info from the derivative, 278

indefinite integrals, 344

indeterminate forms, 154–159

induction (proof by), 245

inequality:

graphing (in 2 variables), 44

symbols, 9

triangle, 139

infinitesimal slice, 428, 437

infinity (∞), 24

infinity (behavior at, limits involving), 330–339

infinitely differentiable, 249

inflection points, 299, 303

inputs, 54

in-section exercises, iv

inspection, 32

instantaneous (rates of change), 220–226

integers, 20, 27

integral sign, 344

integrals, 345

integrand, 344

integrating:

e^x , 359

$\frac{1}{x}$, 360, 361

integration, 345

integration by parts formula, 391

- with definite integrals, 426
- intercept (slope-intercept form), 51
- interchangeable, 29
- interest:
 - compounding, 102
 - continuous compounding, 102
 - simple, 101
- Intermediate Value Theorem, 160–169
- intersection points, 433
- intersection (of sets), 83
- interval notation, 23
- intuition (for developing formulas using the definite integral), 418
- inverse functions:
 - finding f^{-1} , 96
 - relationship between f and f^{-1} , 95
 - relationship between graphs of f and f^{-1} , 97
 - section on, 94–98
- irrational numbers, 20
- J
- jigsaw puzzles, 434
- K
- keywords, v
- L
- language, iii, 1
- Leibniz notation:
 - for the chain rule, 232
 - for the derivative, 204
 - for higher order derivatives, 255
- less than, 9
- limits:
 - definition, 121
 - the idea, 108–119
 - left-hand, 130
 - operations with, 138
 - of polynomials, 142
 - properties of, 136
 - right-hand, 130
 - uniqueness, 134
- limits of integration (upper and lower, for integration), 408
- linear equations, 44
- linearity of differentiation, 347
- linearity of integration, 348, 411
- lines:
 - example, 44
 - horizontal, 48
 - non-vertical, non-horizontal, 49
 - point-slope form, 190
 - slope-intercept form, 51
 - standard form, 51
 - vertical, 48
- list, 22
- local extrema, 287

- locally (a function), 258
- logarithm:
 - the natural logarithm function, 100
 - properties of, 218
- logarithmic differentiation, 262
- losing (a solution), 37
- M
- magnitude, 140
- mapping diagrams, 60
- MATLAB, iii
- maximum (global), 310
- maximum (local), 287
- maximum (value), 171
- Max-Min Theorem:
 - use in finding area under a graph, 402
 - precise statement, 174
 - section on, 171–177
- mean (average), 266
- Mean Value Theorem:
 - consequences of, 268
 - precise statement, 266
 - section on, 266–271
- mentally solving an equation, 13
- minimum (global), 310
- minimum (local), 287
- minimum (value), 171
- minus, 8
- motion along a line, 362–364
- N
- n^{th} root, 213
- n -tuple, 17
- negating ‘ A and B ’, 325
- negating ‘ A or B ’, 325
- negative, 8
- Newton’s Second Law, 367, 368
- nondecreasing functions, 277
- nonincreasing functions, 277
- nonnegative, 27
- nonpositive, 27
- norm:
 - mathematical tool for measuring size, 419
 - of a partition, 419
- notation (for the definite integral), 418, 421–422
- noun, 1
- number line approach, 282
- O
- oblique asymptotes, 334
- odd functions, 318
- odd roots, 214
- one-to-one functions:
 - precise view of, 217
 - section on, 92–94

one-sided limits, 130
open intervals, 150
operator ($\frac{d}{dx}$ operator), 204
or (the mathematical word, truth table), 47
order (higher order derivatives), 249
ordered pair, 41
origin, 40
outputs, 54
P
parentheses, 24
particular solutions, 358, 359, 381
partition (of an interval), 418
parts formula (integration by parts), 391
Pascal's triangle, 210
pattern, 34
 π , 20
place holders, 13
point, 41
point-slope form (for lines), 190
polynomial, 80
positive, 8
powerful, 1
precise, 1
predicting (nearby function values), 221
prime (notation for the derivative), 204
product of real numbers:
 When is it negative?, 280
 When is it positive?, 280
product rule for differentiation:
 generalizing to more than 2 factors, 243
 precise statement, 239
products (differentiating), 239
proving:
 an implication, 224
punctured (graphs), 72
Q
quadrant, 40
quadratic formula, 24
 for factoring quadratic polynomials, 322
quick quiz, v
quotients (differentiating), 239
quotient function, 85
quotient of integers, (\mathbb{Q}), 27
quotient rule for differentiation, 244
R
radicals, 213
range (of a function), 88
rates of change:
 average rate of change, 222
 idea, 220
 instantaneous, section on, 220–226
rationalizing, 158

rational numbers (\mathbb{Q}), 20, 27
Rational Root Theorem, 324
real numbers, 8
reconstructing a function from its derivative, 202
rectangular coordinate system, 39–40
relationship between differentiability and continuity, 223
Remainder Theorem, 328
removable discontinuity, 147
restricted equal sign, 155
revolution (solid of), 436
Riemann sums, 418, 420
right-hand limit, 130
root (of a polynomial), 80
roster, 22
S
secant line, 184
second derivative:
 section on, 299–307
Second Derivative Test, 306
sentences, 2
set-builder notation, 23
sets:
 intersection, 83
 section on, 22–28
 subset, 83
 subtraction, 195
 union, 64
shape (determined by f'), 343
shell method, 444–449
shifting graphs left and right, 76
Simple Power Rule (differentiating x^n), 208
Simple Power Rule (integrating x^n), 355
singleton ('treat it as a singleton' technique), 142
slope:
 definition, 49
 formula for, 49
 'no slope' versus 'zero slope', 199
slope-intercept form, 51
smooth (functions), 249
solution, 16
solution set, 24
solving an equation, 13
speed, 365
sphere, (finding volume using calculus), 438, 447
square root, 65–66, 213
standard form (of a line), 51
star symbol, iv
strength of operations, 18
stronger, (differentiability is 'stronger than' continuity), 224
subset, 83
substitution (direct substitution for limits), 136
substitution technique for integration, 376–384

substitution technique applied to definite integrals, 423–427

subtraction:

set subtraction, 195

a special kind of addition, 34

sum function, 85

summation notation, 251

summation (definite integral, infinite summation process), 422

symmetry:

about line $y = x$, 97

about the origin, 318

about y -axis, 318

synthetic division, 327–328

systematic approach to graphing, 309

T

tangent lines, 182–190

TEX , v

text style:

for limits, 109

for sums, 251

theorem, 15

topological, 174

transforming problems, 376

translating mathematical sentences, 33

triangle inequality, 139

triangle, Pascal's, 210

truth of sentences, 4, 12

truth table:

definition, 26

for 'and', 26

for \iff , 271

for \implies , 166

for 'or', 47

n -tuple, 17

two-column format, iii

U

unambiguous, 11

undefined, (0^0) , 19

undoing differentiation, 342

union (set), 64

unique (related to functions), 54

uniqueness (a typical uniqueness argument), 133

universal set:

definition, 13

sometimes omitted in 'for all' sentences, 270

V

values (versus points), 310

variable:

dummy, 61

section on, 12–17

vectors, 366

velocity, 363, 365 vertical asymptotes, 330

vertical lines, 48

vertical line test, 56

volume of a solid of revolution:

 using disks, 436–443

 using shells, 444–448

volume of a sphere, 54

W

well-defined, 22

X

x -axis, 40

Y

y -axis, 40

Z

zahlen, 27

zero factor law, 46–48

zero of a polynomial, 80